#### **General notes**

The automatic shutdown feature is only available to shutdown open sessions of Edulog NT and Maris. It will not shut down open sessions of Elplot or Elbndplan. The shutdown process happens in two steps Services Shutdown and \*.lck and \*.taf file cleanup.

#### Services shutdown

This part of the automated shutdown process involves setting up each workstation with a shut down time. Modifying the Eltransclient.ini and the Maris.ini files does this. Below is an example section from a Marisi.ini or an Eltransclient.ini.

In the Eltransclient.ini

#### [Autoshutdown] On=1 Time=7:00 PM

The above example would shut down Edulog at 7:00 pm.

#### \*.lck and \*.taf file cleanup

After all of the workstation services are shut down, the next shutdown procedure is to delete any .lck or .taf files from the edulog data. This can be done by creating a .bat file that can be scheduled to run after the workstations shut down. Below is an example of what this batch would look like.


#### @Echo off Delete c:\elt\server\dyn\\*.lck Delete c:\elt\server\geo\\*.taf

The batch can be named and placed anywhere but I suggest placing it under the ELT directory and give it a descriptive name like Clearlocksandtafs.bat.

To schedule the above batch you can use windows task scheduler to run the batch every night. The windows task scheduler can be found under my computer in the Windows NT 4.0 operating system and in the control panel in Windows 2000. Below are some screenshots of how to schedule a task.

# Automatic Shutdown Setup for Edulog.nt

updated May 2002



To schedule a task click on the Add Scheduled Task wizard. Click Next to get a list of executables to schedule. To pick our .bat file, use browse to look into the elt\folder.

Scheduled Task Wizard		×		
	Click the program you want Windows to run. To see more programs, click Browse.			
	Application	Version 🔺		
Z	⊁ Acrobat Reader 4.0	4.0.000		
	Address Book Palm Sync Ins	1, 0, 0, 5		
	Address Book Palm Sync Re	4.70.0.26		
1990 6	AOL Instant Messenger (TM)	3.0.1470		
	4.301			
	Calculator	4.00		
		B <u>r</u> owse		
	< <u>B</u> ack <u>N</u> ext⇒	Cancel		

## Automatic Shutdown Setup for Edulog.nt

After the bat file is selected, modify the name for the task (if you wish) and pick an option from the list below the task name.

Scheduled Task ₩izard	×	C
	Type a name for this task. The task name can be the same name as the program name.   Clearlocksandtafs   Perform this task:   ○ Daily   ○ Weekly   O Monthly   ○ Dne time only   ○ When my computer starts   ○ When I log on	
	< <u>B</u> ack <u>M</u> ext > Cancel	

The next step is to setup any needed time and day information.

Scheduled Task Wizard	×
	Select the time and day you want this task to start. Start time: 7:00 PM Perform this task: Every Day Weekdays Every 1 days Start date: 1/10/02
	< <u>B</u> ack <u>N</u> ext > Cancel

### Automatic Shutdown Setup for Edulog.nt

If the program or .bat file you are scheduling needs to use resources that require authorization then you can setup the task with a username and password.

Scheduled Task Wizard					×
	Enter the run as if i	name and pas t were started b	sword of a user. T y that user.	'he task will	
· 9	Enter the	user n <u>a</u> me:	LOGISTICS\jkn	ох	
25-	Enter the	password:	*****		
	Confirm password:		*****		
2.					
		< <u>B</u> ack	<u>N</u> ext >	Cancel	

This will complete the setup of this task once you hit finish. If you want to look at the advanced options you can but they are not needed to run this task.

